




area sicurezza/security area 65.58 m²

UNI EN 1177 : a norma richiedi mq.76.43 antitrauma sp. mm.45

UNI EN 1177 : this norm request 76.43 square meters of safety matting, thickness 45 mm.

area libera da impedimenti (scivoli tipo 1 prato o terreno naturale richiesto)
free of obstacles area (for slides type 1 grass or natural soil is required)



modifiche / amendments :				scala / scale : -		misure espresse in / dimensions are established in : CM.						
nr°	data/date	pos	descrizione/description	firma sign	riferimenti generali applicati / general references : <ul style="list-style-type: none">• sezione/diameter legname impregnato\geq 0.5 (cm)• lunghezza/legname impregnato\geq 10% (lunghezza totale)• lacerazione/legname impregnato\geq 0.2 (cm)• componenti in metallo\geq 1 (mm)• componenti in materiali plastici\geq 1.5 (mm)		le colorazioni dei componenti rifinitissimi sono solo indicative e potranno variare a ns/ discrezione. Il presente elaborato grafico è da ritenersi indicativo. La sua reale fattibilità deve essere preventivamente verificata in loco prima della conferma d'ordine. Nessuna responsabilità portiamo sarà da attribuirsi alla scrivente. The colours listed are visible in the rendering are just illustrative and can be modified. The graphic design as well is illustrative, and customers are compelled to verify the equipment's real feasibility before finalizing the order. We do not accept claims for similar		denom. / name :	pianta sicurezza / security plant		
01							nr. dis. / draft nr. : 1096		codice / code : xpf39-1 / xoxi39-1			
02							luogo / place : Mezzolombardo		data / date : 05/07/18			
03							esecuzione/verifica approvazione : created/checked/approved by :					
03												